

References:

- Bae, Y., Kuehn, D. P., Conway, C. A., & Sutton, B. P. (2011). Real-time magnetic resonance imaging of velopharyngeal activities with simultaneous speech recordings. *The Cleft palate-craniofacial journal*, 48(6), 695-707.
- Beer, A. J., Hellerhoff, P., Zimmermann, A., Mady, K., Sader, R., Rummeny, E. J., & Hannig, C. (2004). Dynamic near-real-time magnetic resonance imaging for analyzing the velopharyngeal closure in comparison with videofluoroscopy. *Journal of Magnetic Resonance Imaging: An Official Journal of the International Society for Magnetic Resonance in Medicine*, 20(5), 791-797.
- Ettema, S. L., Kuehn, D. P., Perlman, A. L., & Alperin, N. (2002). Magnetic resonance imaging of the levator veli palatini muscle during speech. *The Cleft palate-craniofacial journal*, 39(2), 130-144.
- Fu, M., Barlaz, M. S., Holtrop, J. L., Perry, J. L., Kuehn, D. P., Shosted, R. K., ... & Sutton, B. P. (2017). High-frame-rate full-vocal-tract 3D dynamic speech imaging. *Magnetic resonance in medicine*, 77(4), 1619-1629.
- George, T. N., Kotlarek, K. J., Kuehn, D. P., Sutton, B. P., & Perry, J. L. (2018). Differences in the tensor veli palatini between adults with and without cleft palate using high-resolution 3-dimensional magnetic resonance imaging. *The Cleft Palate-Craniofacial Journal*, 55(5), 697-705.
- Ha, S., Kuehn, D. P., Cohen, M., & Alperin, N. (2007). Magnetic resonance imaging of the levator veli palatini muscle in speakers with repaired cleft palate. *The Cleft Palate-Craniofacial Journal*, 44(5), 494-505.
- Haenssler, A. E., Baylis, A., Perry, J. L., Kollara, L., Fang, X., & Kirschner, R. (2020). Impact of cranial base abnormalities on cerebellar volume and the velopharynx in 22q11. 2 deletion syndrome. *The Cleft Palate-Craniofacial Journal*, 57(4), 412-419.
- Haenssler, A. E., Fang, X., & Perry, J. L. (2020). Effective velopharyngeal ratio: a more clinically relevant measure of velopharyngeal function. *Journal of Speech, Language, and Hearing Research*, 63(11), 3586-3593.
- Haenssler, A. E., Perry, J. L., Mann, S. A., & Mann, R. J. (2021). An MRI Case Study: The Anatomic Cleft Restoration Concept Utilizing Buccal Flaps in a Primary Palatoplasty. *FACE*, 27325016211006850.
- Kollara, L., & Perry, J. L. (2014). Effects of gravity on the velopharyngeal structures in children using upright magnetic resonance imaging. *The Cleft Palate-Craniofacial Journal*, 51(6), 669-676.
- Kollara, L., Baylis, A. L., Kirschner, R. E., Bates, D. G., Smith, M., Fang, X., & Perry, J. L. (2021). Interaction of the craniofacial complex and velopharyngeal musculature on speech resonance in children with 22q11. 2 deletion syndrome: An MRI analysis. *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 74(1), 174-182.
- Kollara, L., Perry, J. L., & Hudson, S. (2016). Racial variations in velopharyngeal and craniometric morphology in children: An imaging study. *Journal of Speech, Language, and Hearing Research*, 59(1), 27-38.
- Kollara, L., Schenck, G., Jaskolka, M., & Perry, J. L. (2017). Examining a new method to studying velopharyngeal structures in a child with 22q11. 2 deletion syndrome. *Journal of Speech, Language, and Hearing Research*, 60(4), 892-896.
- Kotlarek, K. J., Haenssler, A. E., Hildebrand, K. E., & Perry, J. L. (2019). Morphological variation of the velum in children and adults using magnetic resonance imaging. *Imaging science in dentistry*, 49(2), 153-158.

- Kotlarek, K. J., Jaskolka, M. S., Fang, X., Ellis, C., Blemker, S. S., Horswell, B., ... & Perry, J. L. (2021). A Preliminary Study of Anatomical Changes Following the Use of a Pedicled Buccal Fat Pad Flap During Primary Palatoplasty. *The Cleft Palate-Craniofacial Journal*, 10556656211014070.
- Mason, K. N., Pua, E., & Perry, J. L. (2018). Effect of motor-based speech intervention on articulatory placement in the treatment of a posterior nasal fricative: a preliminary MRI study on a single subject. *International journal of language & communication disorders*, 53(4), 852-863.
- Mason, K. N., Riski, J. E., Williams, J. K., Jones, R. A., & Perry, J. L. (2021). Utilization of 3D MRI for the Evaluation of Sphincter Pharyngoplasty Insertion Site in Patients With Velopharyngeal Dysfunction. *The Cleft Palate-Craniofacial Journal*, (in press) 10556656211044656.
- Narayanan, S., Nayak, K., Lee, S., Sethy, A., & Byrd, D. (2004). An approach to real-time magnetic resonance imaging for speech production. *The Journal of the Acoustical Society of America*, 115(4), 1771-1776.
- Pelland, C. M., Feng, X., Borowitz, K. C., Meyer, C. H., & Blemker, S. S. (2019). A dynamic magnetic resonance imaging-based method to examine in vivo levator veli palatini muscle function during speech. *Journal of Speech, Language, and Hearing Research*, 62(8), 2713-2722.
- Perry, J. L. (2011). Variations in velopharyngeal structures between upright and supine positions using upright magnetic resonance imaging. *The Cleft palate-craniofacial journal*, 48(2), 123-133.
- Perry, J. L., & Kuehn, D. P. (2007). Three-dimensional computer reconstruction of the levator veli palatini muscle in situ using magnetic resonance imaging. *The Cleft palate-craniofacial journal*, 44(4), 421-423.
- Perry, J. L., Haenssler, A. E., Kotlarek, K. J., Chen, J. Y., Fang, X., Guo, Y., ... & Webb, M. (2021). Does the Type of MRI Sequence Influence Perceived Quality and Measurement Consistency in Investigations of the Anatomy of the Velopharynx?. *The Cleft Palate-Craniofacial Journal*, 10556656211025191.
- Perry, J. L., Kollara, L., Kuehn, D. P., Sutton, B. P., & Fang, X. (2018). Examining age, sex, and race characteristics of velopharyngeal structures in 4-to 9-year-old children using magnetic resonance imaging. *The Cleft Palate-Craniofacial Journal*, 55(1), 21-34.
- Perry, J. L., Kollara, L., Sutton, B. P., Kuehn, D. P., & Fang, X. (2019). Growth effects on velopharyngeal anatomy from childhood to adulthood. *Journal of Speech, Language, and Hearing Research*, 62(3), 682-692.
- Perry, J. L., Kotlarek, K. J., Spoloric, K., Baylis, A., Kollara, L., Grischkan, J. M., ... & Findlen, U. (2020). Differences in the Tensor Veli Palatini Muscle and Hearing Status in Children With and Without 22q11. 2 Deletion Syndrome. *The Cleft Palate-Craniofacial Journal*, 57(3), 302-309.
- Perry, J. L., Kotlarek, K. J., Sutton, B. P., Kuehn, D. P., Jaskolka, M. S., Fang, X., ... & Rauccio, F. (2018). Variations in velopharyngeal structure in adults with repaired cleft palate. *The Cleft Palate-Craniofacial Journal*, 55(10), 1409-1418.
- Perry, J. L., Kuehn, D. P., & Sutton, B. P. (2013). Morphology of the levator veli palatini muscle using magnetic resonance imaging. *The Cleft Palate-Craniofacial Journal*, 50(1), 64-75.
- Perry, J. L., Kuehn, D. P., Sutton, B. P., & Fang, X. (2017). Velopharyngeal structural and functional assessment of speech in young children using dynamic magnetic resonance imaging. *The Cleft Palate-Craniofacial Journal*, 54(4), 408-422.
- Perry, J. L., Kuehn, D. P., Sutton, B. P., & Gamage, J. K. (2014). Sexual dimorphism of the levator veli palatini muscle: An imaging study. *The Cleft Palate-Craniofacial Journal*, 51(5), 544-552.

- Perry, J. L., Kuehn, D. P., Wachtel, J. M., Bailey, J. S., & Luginbuhl, L. L. (2012). Using magnetic resonance imaging for early assessment of submucous cleft palate: a case report. *The Cleft Palate-Craniofacial Journal*, 49(4), 35-41.
- Perry, J. L., Mason, K., Sutton, B. P., & Kuehn, D. P. (2018). Can dynamic MRI be used to accurately identify velopharyngeal closure patterns?. *The Cleft Palate-Craniofacial Journal*, 55(4), 499-507.
- Perry, J. L., Sutton, B. P., Kuehn, D. P., & Gamage, J. K. (2014). Using MRI for assessing velopharyngeal structures and function. *The Cleft Palate-Craniofacial Journal*, 51(4), 476-486.
- Pua Schleif, E., Pelland, C. M., Ellis, C., Fang, X., Leierer, S. J., Sutton, B. P., ... & Perry, J. L. (2020). Identifying Predictors of Levator Veli Palatini Muscle Contraction During Speech Using Dynamic Magnetic Resonance Imaging. *Journal of Speech, Language, and Hearing Research*, 63(6), 1726-1735.
- Sagar, P., & Nimkin, K. (2015). Feasibility study to assess clinical applications of 3-T cine MRI coupled with synchronous audio recording during speech in evaluation of velopharyngeal insufficiency in children. *Pediatric radiology*, 45(2), 217-227.
- Schenck, G. C., Perry, J. L., Kollara, L., & Kuehn, D. P. (2019). Effects of surgical intervention and continuous positive airway pressure therapy on velopharyngeal structure and function: A case report. *The Cleft Palate-Craniofacial Journal*, 56(4), 525-533.
- Schenck, G. C., Perry, J. L., O'Gara, M. M., Linde, A. M., Grasseschi, M. F., Wood, R. J., ... & Fang, X. (2021). Velopharyngeal muscle morphology in children with unrepaired submucous cleft palate: An imaging study. *The Cleft Palate-Craniofacial Journal*, 58(3), 313-323.
- Scott, A. D., Wylezinska, M., Birch, M. J., & Miquel, M. E. (2014). Speech MRI: morphology and function. *Physica Medica*, 30(6), 604-618.
- Xing, F., Jin, R., Gilbert, I., Perry, J., Sutton, B., Liu, X., El Fakhri, G., Shosted, R., & Woo, J. (2021). 4D magnetic resonance imaging atlas construction using temporally aligned audio waveforms in speech. *The Journal of the Acoustical Society of America*. (*In press*).